

ID	MT1	MT2	Final	HW	LAB (out of 15)
20244710089	42	21	25	10.8	12.05
20244710109	48	44	57	11	12.05
17244310044	35	27	45	0	11.85
17244110041				0	14.21
160303057		26	36	10.2	11.79
19244410054	43	34	61	10.2	9.50
17244710053	19		0	5.2	11.74
18244510030	56	39	45	12.8	11.71
20243610057	31	39	59	4.3	9.95
120308028	42	40	29	13.1	10.09
19244110012	45	67	47	14	13.04
160303040	28	46		5.2	11.78
18244310062	16	24	23	12.9	14.25
18243610011	9	24		3	9.66
17111310003	47	8	28	0.4	13.60
17243710038	52	59	63	12	10.25
19244710018				0	10.08
20243710004	82	70	43	13.7	9.00
18243910004	6	3	6	10.6	13.46
150308015	70	32	33	9.65	13.00
17244110075				0	13.50
18243710049	43	13	44	10.7	9.45
19243810005	27	45	46	9.25	11.44
19244410031	42	32	51	0.7	13.25
19243810010	56	37	64	7.85	11.86
17243810005	28	4	24	4.6	10.00
19244410030	41	34	44	12.4	10.83
160307014	39	18	48	13.2	13.13
19244410035	52	53	23	10.85	10.29
19243510047				5.2	12.58
19244410015	27	29	31	12.6	10.04
20244710094	77	52	72	10.6	12.68
19244210001	39	75	64	6.3	11.58
18244410004	59	52	38	6.3	13.29
18244310033	74	79	54	9.2	13.55
20243710062	40	19	32	12.3	12.21
18243710035	40	28	37	3.6	11.30
17243710024	91	93	94	9.8	10.58
19244710033	7			0	9.02
18243910029	40		7	4.6	10.12
19244510017	76	58	53	3.2	13.55
18244410017	30	18	24	0.7	10.50